

Pattern 142002 Murano Fun

Ladies' Cardigan

Design: Eva Varpio

The first size is given before brackets. All other sizes follow within brackets, separated by a colon. Where only one number is given, this applies to all sizes. Where the figure 0 appears, no sts or rows are worked for this size. After casting off, one stitch will remain on the right hand needle that is included in the instructions that follow.

MEASUREMENTS

Dress size	8 - 10	12 - 14	16 - 18	20 - 22
To Fit Bust	81-86 cm 32-34 in	91-97 cm 36-38 in	102 – 107 cm 40 – 42 in	112 - 117 cm 44 - 46 in
Actual Measurement	104 cm 41 in	112 cm 44 in	120 cm 47 in	128 cm 50.5 in
Length [approximately]	70 cm 27.5 in	71 cm 28 in	72 cm 28.5 in	73 cm 28.75 in

NEEDLES

One pair 7 and 8 mm [UK 2 and 0 – US 10.5 and 11] knitting needles, one cable needle.

TENSION

14 sts and 18 rows to 10 cm, 4 in worked over Patt 2 on 8 mm needles or the size required to give the correct tension.

Check your tension – if less stitches use thinner needles, if more use thicker needles.

MATERIALS

Quality	Colour	8 – 10	12 – 14	16 – 18	20 – 22
Murano Fun 75% Wool (sw) 25% Polyamide RL = approx. 240 m / 150 g	106 highlands	600 g 4 balls	750 g 5 balls	750 g 5 balls	750 g 5 balls

It is essential to work to the stated tension to achieve the correct size of garment.

Abbreviations

alt alternate
beg beginning
cm centimetre[s]
cn cable needle
cont continue
dec decrease[ing]
fol following [s]
g grammes
in inch[es]

inc increase[ing]
k knit
m metre[s]
mm millimetre[s]
p purl
patt pattern
rem remain[ing]
rep repeat
RS right side

SSK slip 2 sts separately to RH needle as if to knit. Slip LH needle into these 2 sts from L to R and knit them tog.
st(s) stitch[es]
St-st stocking stitch
tog together
WS wrong side
yo yarn over

Patt 1

K2, P2 Rib

Row 1 (RS): *k2, p2; rep from * to end.

Row 2: Work the sts as they appear.

Rep rows 1 and 2 throughout.

Patt 2

Double Moss Stitch

Row 1 (RS): *k1, p1; rep from * to end.

Row 2: Work the sts as they appear.

Row 3: *p1, k1; rep from * to end.

Row 4: Work the sts as they appear.

Rep rows 1 – 4 throughout.



© Schoeller Süßen GmbH for Austermann "fashion&style"

All samples, drawings and photographs are copyrighted. No part of this pattern may be copied or reproduced by any means without written permission of Schoeller Süßen GmbH.

Patt 3

Cable Patt over 23 sts: (width 12 cm, 4.75 in)

If working from the chart, note that only RS rows of chart are shown. Work WS rows as they appear.

Row 1 (RS): p5, k6, p1, k6, p5.

Rows 2, 4, 6, 8, 10 and 12 (WS): Work the sts as they appear. Purl the yos.

Row 3: p5, C6B (sl 3 sts to cn and hold to back of work, k3, k3 from cn), p1, C6F (sl 3 sts to cn and hold to front of work, k3, k3 from cn), p5.

Row 5: p4, k2tog, k5, yo, p1, yo, k5, SSK, p4.

Row 7: p3, k2tog, k5, yo, k1, p1, k1, yo, k5, SSK, p3.

Row 9: p2, k2tog, k5, yo, k2, p1, k2, yo, k5, SSK, p2.

Row 11: p1, k2tog, k5, yo, k3, p1, k3, yo, k5, SSK, p1.

Rep these 12 rows throughout.

Patt 4

Stocking stitch (St-st)

RS rows k, WS rows p.

CARDIGAN

BACK

Using 7 mm needles, cast on 74 [80:86:92] sts

1st row (RS): *k2, p2; rep from *, end k2 [p2:k2:p2].

Row 2: Work the sts as they appear.

These 2 rows form K2, P2 Rib.

Work in K2, P2 Rib for 8 cm from beg, ending with RS facing for next row.

Change to 8 mm needles.

1st and 2nd row (RS): k1, *k1, p1; rep from * to last st, k1.

2nd row: p1, work sts as they appear to last st, p1.

3rd row: k1, *p1, k1; rep from * to last st, k1.

4th row: p1, work sts as they appear to last st, p1.

These 4 rows form Double Moss st. Work in Double Moss st until Back meas 20 cm from beg, ending with RS facing for next row.

Side shaping

Dec row (RS): k1, work 2 sts tog, patt to last 3 sts, work 2 sts tog, k1.

Rep Dec row every foll 20th row 2 times more = 68 [74:80:86] sts.

Cont in patt as set until Back meas 51 cm from beg, ending with RS facing for next row.

Armhole shaping

Cast off 3 [3:4:4] sts at beg of next 2 rows.

Dec row (RS): k1, work 2 sts tog, patt to last 3 sts, work 2 sts tog, k1.

Rep Dec row every foll alt row 2 [3:3:5] times more = 56 [60:64:66] sts.

Cont in patt as set until Back meas 68 [69:70:71] cm from beg, ending with RS facing for next row.

Neck shaping

Next row (RS): Patt 20 [22:24:25] sts, join 2nd ball of yarn and cast off centre 16 sts, patt 20 [22:24:25] sts.

Work each side of neck separately.

Cast off 3 sts once at inside neck edge.

When Back meas 70 [71:72:73] cm from beg, cast off rem 17 [19:21:22] sts each side for shoulders.

LEFT FRONT

Using 7 mm needles, cast on 50 [53:56:59] sts. Work next row on RS as foll:

For Size 8 - 10: k1 (for St-st edge st); k2, (p2, k2) 4 times (for 18 sts K2, P2 Rib); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); (k1, p1) 3 times, k1 (for 7 sts Double Moss st); k1 (for St-st edge st).

For Size 12 - 14: k1 (for St-st edge st); (k2, p2) 5 times, k1 (for 21 sts K2, P2 Rib); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); k1, p1) 3 times, k1 (for 7 sts Double Moss st); k1 (for St-st edge st).

For Size 16 - 18: k1 (for St-st edge st); (k2, p2) 6 times (for 24 sts K2, P2 Rib); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); (k1, p1) 3 times, k1 (for 7 sts Double Moss st); k1 (for St-st edge st).

For Size 20 - 22: k1 (for St-st edge st); (k2, p2) 6 times, k2, p1 (for 27 sts K2, P2 Rib); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); k1, p1) 3 times, k1 (for 7 sts Double Moss st); k1 (for St-st edge st).

Cont in patt as set until Left Front meas 8 cm from beg, ending with RS facing for next row. Change to 8 mm needles and work as foll:

Next row (RS): k1 (for St-st edge st), (k1, p1) 9 [10:12:13] times, k0 [1:0:1] (for 18 [21:24:27] sts Double Moss st), cont 23 sts Cable Patt, (k1, p1) 3 times, k1 (for 7 sts Double Moss st); k1 (for St-st edge st).

Cont in patt as set, until Left Front meas 20 cm from beg, ending with RS facing for next row.

Side shaping

Dec row (RS): k1, work 2 sts tog, patt to end.

Rep Dec row every foll 20th row 2 times more = 47 [50:53:56] sts.

Cont in patt as set until Left Front meas 48 [49:50:51] cm from beg, ending with RS facing for next row.

Neck shaping

Dec row (RS): Patt to last 33 sts, work 2 sts tog, pat to end. Cont in patt as set for 1 row without shaping. Rep Dec row. Cont in patt as set for 3 rows without shaping.

Rep these last 4 rows 4 times more, then rep Dec row once more.

AT THE SAME TIME, inc 1 st in Double Moss st after the cable patt every foll 4th row 8 times.

Cont in patt as set until Left Front meas 51 cm from beg, ending with RS facing for next row.

Armhole shaping

Cast off 3 [3:4:4] sts at beg next RS row, patt to end.

Patt 1 row without shaping.

Dec row (RS): k1, work 2 sts tog, patt to end.

Rep Dec row every foll alt row 2 [3:3:5] times more

Cont in patt as set until Left Front meas 70 [71:72:73] cm from beg, ending with RS facing for next row.

Next row (RS): Cast off 21 [23:25:26] sts for shoulder, working k2tog 4 times evenly over the knit sts of the cable sts while casting off = 17 sts.

Border

Over the rem 17 sts cont in Double Moss st as set for another 8 cm. Place sts on a st holder.

RIGHT FRONT

Using 7 mm needles, cast on 50 [53:56:59] sts. Work next row on RS as foll:

For Size 8 - 10: k1 (for St-st edge st), (k1, p1) 3 times, k1 (for 7 sts Double Moss st); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); p2, (k2, p2) 4 times (for 18 sts K2, P2 Rib), k1 (for St-st edge st).

For Size 12 - 14: k1 (for St-st edge st), (k1, p1) 3 times, k1 (for 7 sts Double Moss st); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); (p2, k2) 5 times, p1 (for 21 sts K2, P2 Rib), k1 (for St-st edge st).

For Size 16 - 18: k1 (for St-st edge st), (k1, p1) 3 times, k1 (for 7 sts Double Moss st); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); (p2, k2) 6 times (for 24 sts K2, P2 Rib), k1 (for St-st edge st).

For Size 20 - 22: k1 (for St-st edge st), (k1, p1) 3 times, k1 (for 7 sts Double Moss st); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); p2, (k2, p2) 6 times, k1 (for 27 sts K2, P2 Rib), k1 (for St-st edge st).

Cont in patt as set, until Right Front meas 20 cm from beg, ending with RS facing for next row.

Side shaping

Dec row (RS): Patt to last 3 sts, work 2 sts tog, k1.

Rep Dec row every foll 20th row 2 times more = 47 [50:53:56] sts.

Cont in patt as set until Right Front meas 48 [49:50:51] cm from beg, ending with RS facing for next row.

Neck shaping

Dec row (RS): Patt 29 sts, work 2 sts tog, pat to end. Cont in patt as set for 1 row without shaping. Rep Dec row. Cont in patt as set for 3 rows without shaping.

Rep these last 4 rows 4 times more, then rep Dec row once more.

AT THE SAME TIME, inc 1 st in Double Moss st before the cable patt every foll 4th row 8 times.

Cont in patt as set until Right Front meas 51 cm from beg, ending with WS facing for next row.

Armhole shaping

Cast off 3 [3:4:4] sts at beg next WS row, patt to end.

Dec row (RS): k1, work 2 sts tog, patt to end.

Rep Dec row every foll alt row 2 [3:3:5] times more

Cont in patt as set until Left Front meas 70 [71:72:73] cm from beg, ending with WS facing for next row.

Next row (WS): Cast off 21 [23:25:26] sts for shoulder, working k2tog 4 times evenly over the knit sts of the cable sts while binding off = 17 sts.

Border

Over the rem 17 sts cont in Double Moss st as set for another 8 cm. Place sts on a st holder.

SLEEVES (both alike)

Using 7 mm needles, cast on 43 [43:47:47] sts. Work next row on RS as foll:

For Sizes 8 – 10 and 12 – 14: k1 (for St-st edge st); k1, (p2, k2) 2 times (for 9 sts K2, P2 Rib); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); (k2, p2) 2 times, k1 (9 sts K2, P2 Rib); k1 (for St-st edge st).

For Sizes 14 – 16 and 18 – 20: k1 (for St-st edge st); p1, k2, (p2, k2) 2 times (for 11 sts K2, P2 Rib); p5, k6, p1, k6, p5 (for 23 sts Cable Patt); (k2, p2) 2 times, k2, p1 (11 sts K2, P2 Rib); k1 (for St-st edge st).

Cont in patt as set until Sleeve meas 10 cm from beg, ending with RS facing for next row. Change to 8 mm needles.

Next row (RS): k1 (for St-st edge st); k1, (p1, k1) 4 [4:5:5] times (for 9 [9:11:11] sts in Double Moss st); cont 23 sts Cable Patt; k1, (p1, k1) 4 [4:5:5] times (for 9 [9:11:11] sts in Double Moss st); k1 (for St-st edge st).

Cont in patt as set and inc 1 st each side alternately every foll 8th and 6th row 8 times [every foll 6th row 9 times:every foll 6th row 8 times and every foll 4th row once:every foll 6th row 6 times and every foll 4th row 4 times]. Work inc sts into Double Moss st = 59 [61:65:67] sts.

Cont in patt as set until Sleeve meas 44 [43:42:41] cm from beg, ending with RS facing for next row.

Cap shaping

Cast off 3 [3:4:4] sts at beg of next 2 rows.


Dec row (RS): k1, work 2 sts tog, patt to last 3 sts, work 2 sts tog, k1.

Rep Dec row every foll alt row 10 times more, cast off 3 sts at beg of next 2 rows.

Cont in patt as set until Sleeve meas 58 [57:56:55] cm from beg. Cast off rem 25 [27:29:31] sts, working k2tog 4 times evenly over the knit sts of the cable sts while casting off. Work 2nd Sleeve in same way.

FINISHING

Pin pieces to measurements, cover with clean, damp towels and allow to dry. Join shoulder seams with mattress st. Set in sleeves. Join side and sleeve seams with mattress st. Join open sts on neckband tog. Sew sides of band along back neck.



Chart

—	∧						○					—				○						∧	—	11
—	—	∧						○				—			○							∧	—	9
—	—	—	∧						○			—		○								∧	—	7
—	—	—	—	∧						○		—	○									∧	—	5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1

	= 1 knit st
—	= 1 purl st
○	= 1 yarn over
∧	= k2tog
∧	= SSK: slip 2 sts separately to RH needle as if to knit. Slip LH needle into these 2 sts from L to R and knit them tog
┌───┐ └───┘	= C6F: slip 3 sts to cn and hold to front of work, k3, k3 from cn
┌───┐ └───┘	= C6B: slip 3 sts to cn and hold to back of work, k3, k3 from cn